

FIELD OFFICE TECHNICAL GUIDE Sec. II  
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Allamakee County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
40D: Fayette-----	95	Somewhat limited restricted permeability Slope	0.35 0.01	Very limited Slope Seepage	1.00 0.50
41B: Sparta-----	100	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 0.33
41C: Sparta-----	100	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 1.00
41D: Sparta-----	100	Very limited Filtering capacity Slope	1.00 0.63	Very limited Slope Seepage	1.00 1.00
63B: Chelsea-----	95	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 0.33
63C: Chelsea-----	95	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 1.00
63D: Chelsea-----	95	Very limited Filtering capacity Slope	1.00 0.63	Very limited Slope Seepage	1.00 1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II  
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Allamakee County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
63E: Chelsea-----	90	Very limited Slope Filtering capacity	1.00 1.00	Very limited Slope Seepage	1.00 1.00
63F: Chelsea-----	95	Very limited Slope Filtering capacity	1.00 1.00	Very limited Slope Seepage	1.00 1.00
63G: Chelsea-----	95	Very limited Slope Filtering capacity	1.00 1.00	Very limited Slope Seepage	1.00 1.00
85: Eitzen-----	95	Very limited Flooding Depth to saturated zone restricted permeability	1.00 1.00 0.25	Very limited Flooding Depth to saturated zone Seepage	1.00 0.71 0.50
85B: Eitzen-----	95	Very limited Flooding Depth to saturated zone restricted permeability	1.00 1.00 0.25	Very limited Flooding Depth to saturated zone Seepage Slope	1.00 0.71 0.50 0.33
98: Huntsville-----	95	Very limited Flooding restricted permeability	1.00 0.25	Very limited Flooding Seepage	1.00 0.50

FIELD OFFICE TECHNICAL GUIDE Sec. II  
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Allamakee County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
98B: Huntsville-----	95	Very limited Flooding restricted permeability	1.00 0.25	Very limited Flooding Seepage  Slope	1.00 0.50  0.33
118: Garwin-----	100	Very limited Depth to saturated zone restricted permeability	1.00 0.25	Very limited Depth to saturated zone Seepage	1.00 0.50
119B: Muscatine-----	95	Very limited Depth to saturated zone restricted permeability	1.00 0.25	Very limited Depth to saturated zone Seepage  Slope	1.00 0.50 0.09
120B: Tama-----	95	Not limited restricted permeability	0.25	Somewhat limited Seepage  Slope	0.50 0.33
120C: Tama-----	95	Not limited restricted permeability	0.25	Very limited Slope  Seepage	1.00 0.50
129B: Arenzville-----	50	Very limited Flooding restricted permeability	1.00 0.25	Very limited Flooding Seepage  Slope	1.00 0.50 0.09
Chaseburg-----	45	Very limited Flooding restricted permeability	1.00 0.25	Very limited Flooding Seepage  Slope	1.00 0.50 0.09

FIELD OFFICE TECHNICAL GUIDE Sec. II  
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Allamakee County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
140B: Sparta-----	100	Very limited Filtering capacity	1.00	Very limited Seepage  Slope	1.00  0.33
140C: Sparta-----	100	Very limited Filtering capacity	1.00	Very limited Seepage  Slope	1.00  1.00
142: Chaseburg-----	95	Very limited Flooding restricted permeability	1.00 0.25	Very limited Flooding Seepage	1.00 0.50
162B: Downs-----	90	Somewhat limited restricted permeability	0.35	Somewhat limited Seepage  Slope	0.50  0.33
162B2: Downs-----	90	Somewhat limited restricted permeability	0.35	Somewhat limited Seepage  Slope	0.50  0.33
162C: Downs-----	85	Somewhat limited restricted permeability	0.35	Very limited Slope  Seepage	1.00  0.50
162C2: Downs-----	85	Somewhat limited restricted permeability	0.35	Very limited Slope  Seepage	1.00  0.50

FIELD OFFICE TECHNICAL GUIDE Sec. II  
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Allamakee County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields	Sewage lagoons		
		Rating class and limiting features	Value	Rating class and limiting features	Value
162D: Downs-----	85	Somewhat limited Slope restricted permeability	0.63 0.35	Very limited Slope Seepage	1.00 0.50
162D2: Downs-----	85	Somewhat limited Slope restricted permeability	0.63 0.35	Very limited Slope Seepage	1.00 0.50
162E2: Downs-----	85	Very limited Slope restricted permeability	1.00 0.35	Very limited Slope Seepage	1.00 0.50
163B: Fayette-----	90	Somewhat limited restricted permeability	0.35	Somewhat limited Seepage Slope	0.50 0.33
163B2: Fayette-----	90	Somewhat limited restricted permeability	0.35	Somewhat limited Seepage Slope	0.50 0.33
163C: Fayette-----	85	Somewhat limited restricted permeability	0.35	Very limited Slope Seepage	1.00 0.50
163C2: Fayette-----	85	Somewhat limited restricted permeability	0.35	Very limited Slope Seepage	1.00 0.50

FIELD OFFICE TECHNICAL GUIDE Sec. II  
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Allamakee County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
163D: Fayette-----	85	Somewhat limited Slope restricted permeability	0.63 0.35	Very limited Slope Seepage	1.00 0.50
163D2: Fayette-----	85	Somewhat limited Slope restricted permeability	0.63 0.35	Very limited Slope Seepage	1.00 0.50
163E: Fayette-----	85	Very limited Slope restricted permeability	1.00 0.35	Very limited Slope Seepage	1.00 0.50
163E2: Fayette-----	85	Very limited Slope restricted permeability	1.00 0.35	Very limited Slope Seepage	1.00 0.50
163F: Fayette-----	85	Very limited Slope restricted permeability	1.00 0.35	Very limited Slope Seepage	1.00 0.50
163G: Fayette-----	85	Very limited Slope restricted permeability	1.00 0.35	Very limited Slope Seepage	1.00 0.50
178B: Waukee-----	100	Very limited Filtering capacity restricted permeability	1.00 0.25	Very limited Seepage Slope	1.00 0.09

FIELD OFFICE TECHNICAL GUIDE Sec. II  
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Allamakee County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
196B: Volney-----	95	Very limited Flooding Filtering capacity Content of large stones	1.00 1.00 1.00	Very limited Flooding Seepage Content of large stones Slope	1.00 1.00 1.00 0.33
196C: Volney-----	100	Very limited Flooding Filtering capacity Content of large stones	1.00 1.00 1.00	Very limited Flooding Seepage Content of large stones Slope	1.00 1.00 1.00 1.00
206C: Shullsburg-----	95	Very limited Depth to bedrock Depth to saturated zone	1.00 1.00	Very limited Depth to soft bedrock Depth to saturated zone Slope	1.00 1.00 0.91
210E: Boone-----	95	Very limited Depth to bedrock Filtering capacity Slope	1.00 1.00 0.96	Very limited Depth to soft bedrock Slope Seepage	1.00 1.00 1.00
210F: Boone-----	95	Very limited Depth to bedrock Slope Filtering capacity	1.00 1.00 1.00	Very limited Depth to soft bedrock Slope Seepage	1.00 1.00 1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II  
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Allamakee County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
210G: Boone-----	95	Very limited Depth to bedrock	1.00	Very limited Depth to soft bedrock	1.00
		Slope	1.00	Slope	1.00
		Filtering capacity	1.00	Seepage	1.00
249C: Zwingle-----	95	Very limited Restricted permeability	1.00	Very limited Seepage	1.00
		Depth to saturated zone	1.00	Slope	0.67
291: Atterberry-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		restricted permeability	0.35	Seepage	0.50
				Slope	0.01
320: Arenzville-----	95	Very limited Flooding	1.00	Very limited Flooding	1.00
		restricted permeability	0.25	Seepage	0.50
478G: Nordness-----	50	Very limited Depth to bedrock	1.00	Very limited Depth to hard bedrock	1.00
		Slope	1.00	Slope	1.00
				Seepage	1.00
Rock Outcrop-----	40	Not rated		Not rated	



FIELD OFFICE TECHNICAL GUIDE Sec. II  
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Allamakee County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
484: Lawson-----	95	Very limited Flooding Depth to saturated zone restricted permeability	1.00 1.00 0.25	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 0.50
485: Spillville-----	95	Very limited Flooding Depth to saturated zone restricted permeability	1.00 1.00 0.25	Very limited Flooding Seepage Depth to saturated zone	1.00 1.00 0.71
487B: Otter-----	50	Very limited Flooding Depth to saturated zone restricted permeability	1.00 1.00 0.25	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 0.50
Worthen-----	45	Not limited restricted permeability	0.25	Somewhat limited Seepage Slope	0.50 0.09
490: Caneek-----	95	Very limited Flooding Depth to saturated zone restricted permeability	1.00 1.00 0.25	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 0.50
499C: Nordness-----	95	Very limited Depth to bedrock	1.00	Very limited Depth to hard bedrock Seepage Slope	1.00 1.00 1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II  
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Allamakee County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
499D: Nordness-----	95	Very limited Depth to bedrock	1.00	Very limited Depth to hard bedrock	1.00
		Slope	0.63	Slope Seepage	1.00 1.00
499D2: Nordness-----	95	Very limited Depth to bedrock	1.00	Very limited Depth to hard bedrock	1.00
		Slope	0.63	Slope Seepage	1.00 1.00
499E: Nordness-----	95	Very limited Depth to bedrock	1.00	Very limited Depth to hard bedrock	1.00
		Slope	1.00	Slope Seepage	1.00 1.00
499E2: Nordness-----	90	Very limited Depth to bedrock	1.00	Very limited Depth to hard bedrock	1.00
		Slope	1.00	Slope Seepage	1.00 1.00
499F: Nordness-----	90	Very limited Depth to bedrock	1.00	Very limited Depth to hard bedrock	1.00
		Slope	1.00	Slope Seepage	1.00 1.00
499G: Nordness-----	95	Very limited Depth to bedrock	1.00	Very limited Depth to hard bedrock	1.00
		Slope	1.00	Slope Seepage	1.00 1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II  
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Allamakee County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
589: Otter-----	90	Very limited Flooding Depth to saturated zone restricted permeability	1.00 1.00 0.25	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 0.50
703C: Dubuque-----	90	Very limited Depth to bedrock	1.00	Very limited Depth to hard bedrock Seepage Slope	1.00 1.00 1.00
703C2: Dubuque-----	95	Very limited Restricted permeability Depth to bedrock Filtering capacity	1.00 1.00 1.00	Very limited Depth to hard bedrock Seepage Slope	1.00 1.00 1.00
703D: Dubuque-----	95	Very limited Depth to bedrock Slope	1.00 0.63	Very limited Depth to hard bedrock Slope Seepage	1.00 1.00 1.00
703D2: Dubuque-----	90	Very limited Restricted permeability Depth to bedrock Filtering capacity Slope	1.00 1.00 1.00 0.63	Very limited Depth to hard bedrock Slope Seepage	1.00 1.00 1.00
703E: Dubuque-----	90	Very limited Depth to bedrock Slope	1.00 1.00	Very limited Depth to hard bedrock Slope Seepage	1.00 1.00 1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II  
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Allamakee County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
703E2: Dubuque-----	85	Very limited Restricted permeability Depth to bedrock Slope Filtering capacity	1.00 1.00 1.00 1.00	Very limited Depth to hard bedrock Slope Seepage	1.00 1.00 1.00
703F: Dubuque-----	90	Very limited Depth to bedrock Slope	1.00 1.00	Very limited Depth to hard bedrock Slope Seepage	1.00 1.00 1.00
721C: Massbach-----	90	Very limited Depth to saturated zone Depth to bedrock restricted permeability	1.00 0.78 0.35	Very limited Slope Depth to saturated zone Seepage Depth to soft bedrock	0.91 0.71 0.50 0.42
721D: Massbach-----	90	Very limited Depth to saturated zone Depth to bedrock Slope restricted permeability	1.00 0.78 0.63 0.35	Very limited Slope Depth to saturated zone Seepage Depth to soft bedrock	1.00 0.71 0.50 0.42
740C: Hawick-----	95	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 0.91

FIELD OFFICE TECHNICAL GUIDE Sec. II  
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Allamakee County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
740G: Hawick-----	95	Very limited Filtering capacity Slope	1.00 1.00	Very limited Slope Seepage	1.00 1.00
778B: Sattre-----	90	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 0.09
793B: Bertrand-----	90	Somewhat limited restricted permeability	0.35	Somewhat limited Seepage Slope	0.50 0.33
793C: Bertrand-----	90	Somewhat limited restricted permeability	0.35	Very limited Slope Seepage	1.00 0.50
793D2: Bertrand-----	95	Somewhat limited Slope restricted permeability	0.63 0.35	Very limited Slope Seepage	1.00 0.50
793E: Bertrand-----	95	Very limited Slope restricted permeability	1.00 0.35	Very limited Slope Seepage	1.00 0.50
826: Rowley-----	95	Very limited Depth to saturated zone restricted permeability	1.00 0.25	Very limited Depth to saturated zone Seepage	1.00 0.50

FIELD OFFICE TECHNICAL GUIDE Sec. II  
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Allamakee County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
837C: Village-----	90	Very limited Restricted permeability	1.00	Very limited Slope	1.00
				Seepage	0.50
837C2: Village-----	90	Very limited Restricted permeability	1.00	Very limited Slope	1.00
				Seepage	0.50
837D: Village-----	90	Very limited Restricted permeability	1.00	Very limited Slope	1.00
		Slope	0.63	Seepage	0.50
837D2: Village-----	90	Very limited Restricted permeability	1.00	Very limited Slope	1.00
		Slope	0.63	Seepage	0.50
837E: Village-----	90	Very limited Restricted permeability	1.00	Very limited Slope	1.00
		Slope	1.00	Seepage	0.50
837E2: Village-----	85	Very limited Restricted permeability	1.00	Very limited Slope	1.00
		Slope	1.00	Seepage	0.50
837F: Village-----	90	Very limited Restricted permeability	1.00	Very limited Slope	1.00
		Slope	1.00	Seepage	0.50

FIELD OFFICE TECHNICAL GUIDE Sec. II  
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Allamakee County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
838C2: Allamakee-----	90	Very limited Restricted permeability	1.00	Very limited Slope	1.00
				Seepage	0.50
838D: Allamakee-----	90	Very limited Restricted permeability	1.00	Very limited Slope	1.00
		Slope	0.63	Seepage	0.50
838D2: Allamakee-----	90	Very limited Restricted permeability	1.00	Very limited Slope	1.00
		Slope	0.63	Seepage	0.50
838E2: Allamakee-----	85	Very limited Restricted permeability	1.00	Very limited Slope	1.00
		Slope	1.00	Seepage	0.50
840E: Lacrescent-----	90	Very limited Slope	1.00	Very limited Slope	1.00
		Content of large stones	0.18	Seepage	1.00
				Content of large stones	0.04
840F: Lacrescent-----	90	Very limited Slope	1.00	Very limited Slope	1.00
		Content of large stones	0.18	Seepage	1.00
				Content of large stones	0.04

FIELD OFFICE TECHNICAL GUIDE Sec. II  
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Allamakee County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
840G: Lacrescent-----	90	Very limited Slope Content of large stones	1.00  0.18	Very limited Slope Seepage  Content of large stones	1.00  1.00  0.04
841G: Rock Outcrop-----	50	Not rated		Not rated	
Boone-----	35	Very limited Depth to bedrock  Slope Filtering capacity	1.00  1.00 1.00	Very limited Depth to soft bedrock Slope Seepage	1.00  1.00 1.00
843: Elon-----	95	Very limited Flooding Depth to saturated zone restricted permeability	1.00 1.00 0.25	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 0.50
861D: Yellowriver-----	85	Somewhat limited Slope restricted permeability	0.63 0.35	Very limited Slope Seepage	1.00 0.50
861D2: Yellowriver-----	90	Somewhat limited Slope restricted permeability	0.63 0.35	Very limited Slope Seepage	1.00 0.50
861E: Yellowriver-----	85	Very limited Slope restricted permeability	1.00 0.35	Very limited Slope Seepage	1.00 0.50



FIELD OFFICE TECHNICAL GUIDE Sec. II  
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Allamakee County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
861E2: Yellowriver-----	90	Very limited Slope restricted permeability	1.00 0.35	Very limited Slope Seepage	1.00 0.50
861F: Yellowriver-----	90	Very limited Slope restricted permeability	1.00 0.35	Very limited Slope Seepage	1.00 0.50
861G: Yellowriver-----	95	Very limited Slope restricted permeability	1.00 0.35	Very limited Slope Seepage	1.00 0.50
862D: Churchtown-----	90	Somewhat limited Slope restricted permeability	0.63 0.35	Very limited Slope Seepage	1.00 0.50
862D2: Churchtown-----	90	Somewhat limited Slope restricted permeability	0.63 0.35	Very limited Slope Seepage	1.00 0.50
862E: Churchtown-----	85	Very limited Slope restricted permeability	1.00 0.35	Very limited Slope Seepage	1.00 0.50
862E2: Churchtown-----	85	Very limited Slope restricted permeability	1.00 0.35	Very limited Slope Seepage	1.00 0.50

FIELD OFFICE TECHNICAL GUIDE Sec. II  
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Allamakee County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
862F: Churchtown-----	90	Very limited Slope restricted permeability	1.00 0.35	Very limited Slope Seepage	1.00 0.50
903C2: Frankville-----	90	Very limited Depth to bedrock restricted permeability	1.00 0.35	Very limited Depth to hard bedrock Seepage Slope	1.00 1.00 1.00 1.00
903D: Frankville-----	90	Very limited Depth to bedrock Slope restricted permeability	1.00 0.63 0.35	Very limited Depth to hard bedrock Slope Seepage	1.00 1.00 1.00 1.00
903D2: Frankville-----	90	Very limited Depth to bedrock Slope restricted permeability	1.00 0.63 0.35	Very limited Depth to hard bedrock Slope Seepage	1.00 1.00 1.00 1.00
903E2: Frankville-----	85	Very limited Depth to bedrock Slope restricted permeability	1.00 1.00 0.35	Very limited Depth to hard bedrock Slope Seepage	1.00 1.00 1.00 1.00
912C: Paintcreek-----	85	Very limited Restricted permeability	1.00	Very limited Slope Seepage	1.00 0.50

FIELD OFFICE TECHNICAL GUIDE Sec. II  
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Allamakee County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
912D: Paintcreek-----	90	Very limited Restricted permeability Slope	1.00 0.63	Very limited Slope Seepage	1.00 0.50
912D2: Paintcreek-----	90	Very limited Restricted permeability Slope	1.00 0.63	Very limited Slope	1.00
912E: Paintcreek-----	90	Very limited Restricted permeability Slope	1.00 1.00	Very limited Slope Seepage	1.00 0.50
912E2: Paintcreek-----	90	Very limited Restricted permeability Slope	1.00 1.00	Very limited Slope	1.00
912F: Paintcreek-----	95	Very limited Restricted permeability Slope	1.00 1.00	Very limited Slope Seepage	1.00 0.50
930: Orion-----	95	Very limited Flooding Depth to saturated zone restricted permeability	1.00 1.00 0.25	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 0.50
951G: Medary-----	100	Very limited Restricted permeability Slope	1.00 1.00	Very limited Slope	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II  
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Allamakee County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
977: Richwood-----	95	Not limited restricted permeability	0.25	Somewhat limited Seepage	0.50
977B: Richwood-----	95	Not limited restricted permeability	0.25	Somewhat limited Seepage	0.50
				Slope	0.33
978B: Festina-----	95	Somewhat limited restricted permeability	0.35	Somewhat limited Seepage	0.50
				Slope	0.33
978C: Festina-----	95	Somewhat limited restricted permeability	0.35	Very limited Slope	1.00
				Seepage	0.50
981B: Worthen-----	90	Not limited restricted permeability	0.25	Somewhat limited Slope	0.67
				Seepage	0.50
1120D: Lycurgus-----	85	Somewhat limited Slope	0.63	Very limited Slope	1.00
		restricted permeability	0.25	Seepage	0.50
1120E: Lycurgus-----	90	Very limited Slope	1.00	Very limited Slope	1.00
		restricted permeability	0.25	Seepage	0.50
1120F: Lycurgus-----	90	Very limited Slope	1.00	Very limited Slope	1.00
		restricted permeability	0.25	Seepage	0.50

FIELD OFFICE TECHNICAL GUIDE Sec. II  
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Allamakee County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
1490: Caneek-----	95	Very limited Flooding Depth to saturated zone restricted permeability	1.00 1.00 0.25	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 0.50
1496: Arenzville-----	45	Very limited Flooding restricted permeability	1.00 0.25	Very limited Flooding Seepage	1.00 0.50
Volney-----	25	Very limited Flooding Filtering capacity Content of large stones	1.00 1.00 1.00	Very limited Flooding Seepage Content of large stones	1.00 1.00 1.00
1496B: Arenzville-----	45	Very limited Flooding restricted permeability	1.00 0.25	Very limited Flooding Seepage Slope	1.00 0.50 0.33
Volney-----	30	Very limited Flooding Filtering capacity Content of large stones	1.00 1.00 1.00	Very limited Flooding Seepage Content of large stones Slope	1.00 1.00 1.00 0.33
1793G: Bertrand-----	60	Very limited Slope restricted permeability	1.00 0.35	Very limited Slope Seepage	1.00 0.50
Chelsea-----	30	Very limited Slope Filtering capacity	1.00 1.00	Very limited Slope Seepage	1.00 1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II  
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Allamakee County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields	Sewage lagoons		
		Rating class and limiting features	Value	Rating class and limiting features	Value
2670: Ion-----	95	Very limited Flooding Depth to saturated zone restricted permeability	1.00 1.00 0.25	Very limited Flooding Depth to saturated zone Seepage	1.00 0.71 0.50
5010: Pits, Sand And Gravel-----	100	Not rated		Not rated	
5030: Pits, Limestone Quarry-----	100	Not rated		Not rated	
5040: Orthents, Loamy-----	100	Not rated		Not rated	
w: Water-----	100	Not rated		Not rated	